

To: Korleski, Christopher[korleski.christopher@epa.gov]; Stacy Jones[sjones@idem.in.gov]; Matt Prater[mprater@idem.in.gov]; Arango, Courtney[CArango@idem.IN.gov]; Snemis, Donald (IDEM)[DSnemis@idem.IN.gov]; 'Crowley Engineering'[crowley@eastchicago.com]; 'Carla Morgan'[cmorgan@eastchicago.com]; Hollingsworth, Mary[MHolling@idem.IN.gov]; philip@crowleyengineering.com[philip@crowleyengineering.com]
Cc: Rowan, Anne[rowan.anne@epa.gov]; Cassell, Peter[cassell.peter@epa.gov]; Henry, Timothy[henry.timothy@epa.gov]; Poy, Thomas[poy.thomas@epa.gov]; Bair, Rita[bair.rita@epa.gov]; Deltoral, Miguel[deltoral.miguel@epa.gov]; Porter, Andrea[porters.andrea@epa.gov]; Bosscher, Valerie[bosscher.valerie@epa.gov]; Maraldo, Dean[Maraldo.Dean@epa.gov]; Mendez, Thomas[mendez.thomas@epa.gov]; Shoven, Heather[shoven.heather@epa.gov]; Donnelly, Peggy[Donnelly.Peggy@epa.gov]; Deamer, Eileen[deamer.eileen@epa.gov]; Kaplan, Robert[kaplan.robert@epa.gov]; Grantham, Nancy[Grantham.Nancy@epa.gov]; Bassler, Rachel[Bassler.Rachel@epa.gov]
From: CLARK METTLER, MARTHA
Sent: Fri 12/9/2016 2:34:45 PM
Subject: RE: Revised Draft Script and FAQs

May we get a scan of the Mayor's letter?



Martha Clark Mettler

Assistant Commissioner, Office of Water Quality

Indiana Department of Environmental Management

100 N. Senate Ave, IGCN, Suite 1255

Indianapolis, IN 46204

Ph. (317) 232-8402

Fax (317) 232-8406

mclark@idem.in.gov



From: Korleski, Christopher [mailto:korleski.christopher@epa.gov]
Sent: Friday, December 09, 2016 12:14 AM
To: CLARK METTLER, MARTHA; JONES, STACY; Prater, Matthew; Arango, Courtney; Snemis, Donald (IDEM); 'Crowley Engineering'; 'Carla Morgan'; Hollingsworth, Mary; philip@crowleyengineering.com
Cc: Rowan, Anne; Cassell, Peter; Henry, Timothy; Poy, Thomas; Bair, Rita; Deltoral, Miguel; Porter, Andrea; Bosscher, Valerie; Maraldo, Dean; Mendez, Thomas; Shoven, Heather; Donnelly, Peggy;

Deamer, Eileen; Kaplan, Robert; Grantham, Nancy; Bassler, Rachel

Subject: Re: Revised Draft Script and FAQs

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Hello All:

Thanks again for all your comments and suggestions. In light of this evening's public letter from Mayor Copeland regarding the drinking water issue, EPA believes it is imperative that we go forward with the notification to the homeowners as soon as possible. Consequently, EPA will be reaching out to residents beginning tomorrow (Friday) morning using the materials I circulated earlier this evening.

Thanks again,

Chris

From: Korleski, Christopher

Sent: Thursday, December 8, 2016 9:32 PM

To: CLARK METTLER, MARTHA; Stacy Jones; Matt Prater; Arango, Courtney; Snemis, Donald (IDEM); 'Crowley Engineering'; 'Carla Morgan'; Hollingsworth, Mary;
philip@crowleyengineering.com

Cc: Rowan, Anne; Cassell, Peter; Henry, Timothy; Poy, Thomas; Bair, Rita; Deltoral, Miguel; Porter, Andrea; Bosscher, Valerie; Maraldo, Dean; Mendez, Thomas; Shoven, Heather; Donnelly, Peggy; Deamer, Eileen; Kaplan, Robert; Grantham, Nancy; Bassler, Rachel

Subject: Revised Draft Script and FAQs

Hello IDEM and East Chicago Colleagues:

In accordance with our discussion earlier today, I am attaching for your review:

1. A revised draft script. If you review it in "all mark-up" format, you will see that I have tried to show EC's and IDEM's proposed revisions and how EPA responded to them.

2. A revised draft FAQ. Anne and her team developed two versions. The first document is our attempt to reconcile all comments. Many revisions have been incorporated; but not all suggestions were accepted. The second document shows the marked-up version of Region 5's original draft with comments from the city and IDEM.

We appreciate your getting your written proposals and comments to us earlier today, and we look forward to your comments on these latest drafts.

Finally, please note that we may be getting some additional comments from our national program office.

Thanks.

Chris